




Kondenzátní jímka	DN mm	150	160	180	200	230	250	300
objednáací znak	6111115081	6111116081	6111118081	6111120081	6111123081	6111125081	6111130081	
hmotnost kg/ks	0,54	0,59	0,68	0,78	0,91	1,05	1,35	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6111135081	6111140081	6111145081	6111150081	6111155081	6111160081	6111170081	
hmotnost kg/ks	1,70	2,08	2,46	2,88	3,35	3,84	4,90	




Podpěra kondenzátní jímky	DN mm	150	160	180	200	230	250	300
objednáací znak	6721115090	6721116090	6721118090	6721120090	6721123090	6721125090	6721130090	
hmotnost kg/ks	0,63	0,67	0,75	0,84	0,94	1,05	1,26	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6721135090	6721140090	6721145090	6721150090	6721155090	6721160090	6721170090	
hmotnost kg/ks	1,47	1,68	1,89	2,10	2,31	2,52	2,94	




Dvířkový díl	DN mm	150	160	180	200	230	250	300
objednáací znak	6121115081	6121116081	6121118081	6121120081	6121123081	6121125081	6121130081	
hmotnost kg/ks	1,82	1,85	2,08	2,26	2,49	2,72	3,19	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6121135081	6121140081	6121145081	6121150081	6121155081	6121160081	6121170081	
hmotnost kg/ks	3,66	4,13	4,60	5,08	5,57	6,02	6,97	




Komínové dvířka	DN mm	150	160	180	200	230	250	300
objednáací znak	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090
hmotnost kg/ks	1,20	1,20	1,20	1,20	1,20	1,20	1,20	1,20
DN mm	350	400	450	500	550	600	700	
objednáací znak	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090	6701100090
hmotnost kg/ks	1,20	1,20	1,20	1,20	1,20	1,20	1,20	1,20



Komínové dvířka s prodloužením	DN mm	150	160	180	200	230	250	300
objednáací znak	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090
hmotnost kg/ks	1,84	1,84	1,84	1,84	1,84	1,84	1,84	1,84
DN mm	350	400	450	500	550	600	700	
objednáací znak	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090	6711100090
hmotnost kg/ks	1,84	1,84	1,84	1,84	1,84	1,84	1,84	1,84



Kontrolní díl pro suchý provoz	DN mm	150	160	180	200	230	250	300
objednáací znak	6131115081	6131116081	6131118081	6131120081	6131123081	6131125081	6131130081	
hmotnost kg/ks	1,39	1,48	1,65	1,82	2,04	2,26	2,70	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6131135081	6131140081	6131145081	6131150081	6131155081	6131160081	6131170081	
hmotnost kg/ks	3,13	5,31	5,96	6,61	7,26	7,91	9,20	




Sopouch 0°		DN mm	150	160	180	200	230	250	300
	objednáací znak	6151115081	6151116081	6151118081	6151120081	6151123081	6151125081	6151130081	
	hmotnost kg/ks	1,81	1,94	2,17	2,42	2,83	3,38	4,54	
	A	350	350	350	350	350	380	430	
	B	150	150	150	150	150	165	190	
	C	115	120	130	140	155	165	190	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6151135081	6151140081	6151145081	6151150081	6151155081	6151160081	6151170081	
	hmotnost kg/ks	5,84	7,44	9,20	11,03	12,98	15,13	21,49	
	A	480	540	600	650	700	750	950	
	B	215	245	275	300	325	350	450	
C	215	240	265	300	325	350	400		


Sopouch 5°		DN mm	150	160	180	200	230	250	300
	objednáací znak	6161115081	6161116081	6161118081	6161120081	6161123081	6161125081	6161130081	
	hmotnost kg/ks	1,81	1,94	2,17	2,42	2,83	3,38	4,54	
	A	350	350	350	350	350	380	430	
	B	150	150	150	150	155	170	200	
	C	120	125	140	150	160	175	200	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6161135081	6161140081	6161145081	6161150081	6161155081	6161160081	6161170081	
	hmotnost kg/ks	5,84	7,44	9,20	11,03	12,98	15,13	21,49	
	A	480	540	600	650	700	750	950	
	B	225	255	290	315	345	370	500	
C	230	260	290	315	345	370	430		


Sopouch 45°		DN mm	150	160	180	200	230	250	300
	objednáací znak	6171115081	6171116081	6171118081	6171120081	6171123081	6171125081	6171130081	
	hmotnost kg/ks	1,90	2,09	2,53	2,99	3,65	4,39	5,99	
	A	350	360	390	420	450	490	560	
	B	230	240	265	290	320	350	410	
	C	230	240	265	290	320	350	410	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6171135081	6171140081	6171145081	6171150081	6171155081	6171160081	6171170081	
	hmotnost kg/ks	7,83	10,03	12,36	14,94	18,13	21,95	21,95	
	A	630	710	780	850	950	1060	1200	
	B	470	535	595	655	720	805	925	
C	470	535	595	655	720	805	925		


Sopouch s nástavcem		DN mm	150	160	180	200	230	250	300
	objednáací znak	6181115081	6181116081	6181118081	6181120081	6181123081	6181125081	6181130081	
	hmotnost kg/ks	2,02	2,35	2,63	2,92	3,95	4,43	5,42	
	A	325	350	450	450	450	450	450	
	B	138	150	200	200	200	200	200	


Díl s regulátorem tahu		DN mm	150	160	180	200	230	250	300
	objednáací znak	6191115081	6191116081	6191118081	6191120081	6191123081	6191125081	6191130081	
	hmotnost kg/ks	1,83	1,91	2,08	2,24	2,53	2,72	3,12	


Rovný díl 950mm		DN mm	150	160	180	200	230	250	300
	objednáací znak	6201115081	6201116081	6201118081	6201120081	6201123081	6201125081	6201130081	
	hmotnost kg/ks	3,78	4,03	4,53	5,03	5,66	6,30	7,57	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6201135081	6201140081	6201145081	6201150081	6201155081	6201160081	6201170081	
	hmotnost kg/ks	8,82	10,08	11,34	12,59	13,85	15,10	17,62	

Rovný díl 450mm		DN mm	150	160	180	200	230	250	300
	objednáací znak	6211115081	6211116081	6211118081	6211120081	6211123081	6211125081	6211130081	
	hmotnost kg/ks	1,89	2,02	2,26	2,52	2,83	3,15	3,78	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6211135081	6211140081	6211145081	6211150081	6211155081	6211160081	6211170081	
	hmotnost kg/ks	4,41	5,04	5,67	6,30	6,92	7,55	8,81	


Rovný díl 200mm		DN mm	150	160	180	200	230	250	300
	objednáací znak	6221115081	6221116081	6221118081	6221120081	6221123081	6221125081	6221130081	
	hmotnost kg/ks	0,95	1,01	1,13	1,26	1,42	1,58	1,89	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6221135081	6221140081	6221145081	6221150081	6221155081	6221160081	6221170081	
	hmotnost kg/ks	2,21	2,52	2,83	3,15	3,46	3,78	4,41	

Nastavitelný díl kouřovodu		DN mm	150	160	180	200	230	250	300
	objednáací znak	6261115081	6261116081	6261118081	6261120081	6261123081	6261125081	6261130081	
	hmotnost kg/ks	2,49	2,66	2,99	3,33	3,75	4,17	5,01	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6261135081	6261140081	6261145081	6261150081	6261155081	6261160081	6261170081	
	hmotnost kg/ks	5,85	6,69	7,52	8,36	9,20	10,03	11,71	

Díl pro měření		DN mm	150	160	180	200	230	250	300
	objednáací znak	6281115081	6281116081	6281118081	6281120081	6281123081	6281125081	6281130081	
	hmotnost kg/ks	0,90	0,96	1,08	1,19	1,34	1,50	1,80	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6281135081	6281140081	6281145081	6281150081	6281155081	6281160081	6281170081	
	hmotnost kg/ks	2,09	2,39	2,69	2,99	3,29	3,59	4,18	


Díl s odvodněním univerzální		DN mm	150	160	180	200	230	250	300
	objednáací znak	6271115081	6271116081	6271118081	6271120081	6271123081	6271125081	6271130081	
	hmotnost kg/ks	0,90	0,96	1,08	1,19	1,34	1,50	1,80	
	DN mm	350	400	450	500	550	600	700	
	objednáací znak	6271135081	6271140081	6271145081	6271150081	6271155081	6271160081	6271170081	
	hmotnost kg/ks	2,09	2,39	2,69	2,99	3,29	3,59	4,18	

Koleno 15°




DN mm	150	160	180	200	230	250	300
objednační znak	6291115081	6291116081	6291118081	6291120081	6291123081	6291125081	6291130081
hmotnost kg/ks	0,72	0,81	0,91	1,01	1,13	1,26	1,59
A	47	52	52	52	52	52	57
B	94	99	99	99	99	99	104
DN mm	350	400	450	500	550	600	700
objednační znak	6291135081	6291140081	6291145081	6291150081	6291155081	6291160081	6291170081
hmotnost kg/ks	1,94	2,32	2,61	3,02	3,46	3,78	4,76
A	62	67	67	72	77	77	87
B	109	114	114	119	124	124	134

Koleno 30°



DN mm	150	160	180	200	230	250	300
objednační znak	6301115081	6301116081	6301118081	6301120081	6301123081	6301125081	6301130081
hmotnost kg/ks	0,83	0,89	1,00	1,16	1,36	1,51	1,97
A	62	62	62	67	72	72	82
B	109	109	109	114	119	119	129
DN mm	350	400	450	500	550	600	700
objednační znak	6301135081	6301140081	6301145081	6301150081	6301155081	6301160081	6301170081
hmotnost kg/ks	2,38	2,82	3,40	3,90	4,43	5,14	6,34
A	87	92	102	107	112	122	132
B	134	139	149	154	159	169	179


Koleno 45°



DN mm	150	160	180	200	230	250	300
objednační znak	6311115081	6311116081	6311118081	6311120081	6311123081	6311125081	6311130081
hmotnost kg/ks	0,91	0,97	1,13	1,31	1,53	1,77	2,27
A	72	72	77	82	87	92	102
B	119	119	124	129	134	139	149
DN mm	350	400	450	500	550	600	700
objednační znak	6311135081	6311140081	6311145081	6311150081	6311155081	6311160081	6311170081
hmotnost kg/ks	2,82	3,43	4,08	4,79	5,54	6,34	8,28
A	112	122	132	142	152	162	187
B	159	169	179	189	199	209	234


Koleno 0°:45°

přestavitelné





DN mm	150	160	180	200	230	250	300
objednační znak	6312115081	6312116081	6312118081	6312120081	6312123081	6312125081	
hmotnost kg/ks	0,95	1,01	1,22	1,41	1,64	1,89	
A	75	75	85	90	95	100	
B	120	120	130	135	140	145	


Koleno 85°





DN mm	150	160	180	200	230	250	300
objednační znak	6321115081	6321116081	6321118081	6321120081	6321123081	6321125081	6321130081
hmotnost kg/ks	1,28	1,41	1,65	1,91	2,27	2,65	3,48
A	138	144	153	162	173	185	209
B	182	188	197	206	217	229	253
DN mm	350	400	450	500	550	600	700
objednační znak	6321135081	6321140081	6321145081	6321150081	6321155081	6321160081	6321170081
hmotnost kg/ks	4,41	5,44	6,69	7,93	9,28	11,18	14,45
A	233	256	292	315	339	380	427
B	277	300	336	359	383	424	471

Koleno 85°	DN mm	150	160	180	200	230	250	300
s kontrolním otvorem	objednáací znak	6331115081	6331116081	6331118081	6331120081	6331123081	6331125081	6331130081
	hmotnost kg/ks	1,48	1,57	1,73	1,99	2,35	2,73	3,56
	A	158	157	153	162	173	185	209
	B	202	201	197	206	217	229	253
	DN mm	350	400	450	500	550	600	700
	objednáací znak	6331135081	6331140081	6331145081	6331150081	6331155081	6331160081	6331170081
	hmotnost kg/ks	4,49	5,54	6,78	8,03	9,37	11,27	14,54
	A	233	256	292	315	339	380	427
	B	277	300	336	359	383	424	471


Koleno 90°	DN mm	150	160	180	200	230	250	300
	objednáací znak	6351115081	6351116081	6351118081	6351120081	6351123081	6351125081	6351130081
	hmotnost kg/ks	1,28	1,41	1,68	1,91	2,27	2,68	3,60
	A	140	146	158	164	176	191	221
	B	184	190	202	208	220	235	265
	DN mm	350	400	450	500	550	600	700
	objednáací znak	6351135081	6351140081	6351145081	6351150081	6351155081	6351160081	6351170081
	hmotnost kg/ks	4,54	5,65	6,80	8,06	9,56	11,03	14,62
	A	245	273	303	327	357	381	440
	B	289	317	347	371	401	425	484

Koleno 90°	DN mm	150	160	180	200	230	250	300
s kontrolním otvorem	objednáací znak	6341115081	6341116081	6341118081	6341120081	6341123081	6341125081	6341130081
	hmotnost kg/ks	1,46	1,55	1,76	1,99	2,35	2,76	3,68
	A	155	154	156	162	173	189	218
	B	199	198	200	206	217	233	262
	DN mm	350	400	450	500	550	600	700
	objednáací znak	6341135081	6341140081	6341145081	6341150081	6341155081	6341160081	6341170081
	hmotnost kg/ks	4,63	5,74	6,89	8,15	9,65	11,12	14,71
	A	242	269	299	322	357	381	446
	B	286	313	343	366	401	425	490


Koleno 0°-90°	DN mm	150	160	180	200	230	250	300
přestavitelné	objednáací znak	6352115081	6352116081	6352118081	6352120081	6352123081	6352125081	
	hmotnost kg/ks	1,47	1,57	1,81	2,11	2,55	2,90	
	A	171	171	178	190	209	215	
	B	215	215	222	234	253	259	

Koleno 0°-90°	DN mm	150	160	180	200	230	250	300
přestavitelné s kontrolním otvorem	objednáací znak	6345115081	6345116081	6345118081	6345120081	6345123081	6345125081	
	hmotnost kg/ks	1,86	1,98	2,21	2,50	2,86	3,17	
	A	211	211	213	220	229	230	
	B	285	285	283	286	287	285	


Redukce v systému PRIMA 1	DN mm	150	160	180	200	230	250	300
objednáací znak	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81
DN mm	350	400	450	500	550	600	700	
objednáací znak	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81	41*****81




Redukce v systému PRIMA 1	DN mm	150	160	180	200	230	250	300
vyosená	objednáací znak	42*****81	42*****81	42*****81	42*****81	42*****81	42*****81	42*****81
DN mm	350	400	450	500	550	600	700	
objednáací znak	42*****81	42*****81	42*****81	42*****81	42*****81	42*****81	42*****81	42*****81



Redukce na systém PRIMA 1	DN mm	150	160	180	200	230	250	300
od spotřebiče	objednáací znak	43*****81	43*****81	43*****81	43*****81	43*****81	43*****81	43*****81
DN mm	350	400	450	500	550	600	700	
objednáací znak	43*****81	43*****81	43*****81	43*****81	43*****81	43*****81	43*****81	43*****81



Redukce ze systému PRIMA 1	DN mm	150	160	180	200	230	250	300
na jiný systém	objednáací znak	44*****81	44*****81	44*****81	44*****81	44*****81	44*****81	44*****81
DN mm	350	400	450	500	550	600	700	
objednáací znak	44*****81	44*****81	44*****81	44*****81	44*****81	44*****81	44*****81	44*****81




Rozměry DN1 a DN2 jsou vždy vnitřní!


Do objednáacího znaku redukce zadejte místo hvězdiček zleva doprava: DN1 a DN2 v milimetrech.

Cenu redukce určuje to DN, které je na redukci větší.


Protidešťová hlavice	DN mm	150	160	180	200	230	250	300
objednáací znak	6731115090	6731116090	6731118090	6731120090	6731123090	6731125090	6731130090	
hmotnost kg/ks	0,48	0,53	0,66	0,80	0,97	1,19	1,62	
D	300	320	360	400	460	500	600	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6731135090	6731140090	6731145090	6731150090	6731155090	6731160090	6731170090	
hmotnost kg/ks	2,12	14,11	16,82	19,74	20,74	21,74	23,70	
D	700	800	900	1000	1000	1000	1000	




Lapač jisker	DN mm	150	160	180	200	230	250	300
objednáací znak	6741115090	6741116090	6741118090	6741120090	6741123090	6741125090	6741130090	
hmotnost kg/ks	0,46	0,50	0,63	0,76	0,92	1,13	1,54	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6741135090							
hmotnost kg/ks	2,01							




Krycí deska s manžetou proti zatékání	DN mm	150	160	180	200	230	250	300
objednáací znak	6751115090	6751116090	6751118090	6751120090	6751123090	6751125090	6751130090	
hmotnost kg/ks	1,69	1,74	1,84	1,89	2,27	2,42	2,61	
A	450	450	450	450	500	500	500	
D	235	235	235	285	300	300	370	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6751135090	6751140090	6751145090	6751150090	6751155090	6751160090	6751170090	
hmotnost kg/ks	3,12	4,01	4,65	5,33	6,06	6,82	8,48	
A	550	600	650	700	750	800	900	
D	420	450	500	550	600	650	750	



Spona	DN mm	150	160	180	200	230	250	300
objednáací znak	6761115090	6761116090	6761118090	6761120090	6761123090	6761125090	6761130090	
hmotnost kg/ks	0,05	0,05	0,06	0,06	0,07	0,07	0,09	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6761135090	6761140090	6761145090	6761150090	6761155090	6761160090	6761170090	
hmotnost kg/ks	0,10	0,19	0,21	0,23	0,25	0,27	0,32	



Spouštěcí objímka	DN mm	150	160	180	200	230	250	300
objednáací znak	6791115090	6791116090	6791118090	6791120090	6791123090	6791125090	6791130090	
hmotnost kg/ks	0,16	0,17	0,17	0,18	0,19	0,20	0,22	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6791135090							
hmotnost kg/ks	0,24							



Distanční objímka	DN mm	150	160	180	200	230	250	300
objednáací znak	6801115090	6801116090	6801118090	6801120090	6801123090	6801125090	6801130090	
hmotnost kg/ks	0,19	0,20	0,20	0,21	0,25	0,26	0,28	
DN mm	350	400	450	500	550	600	700	
objednáací znak	6801135090	6801140090	6801145090	6801150090	6801155090	6801160090	6801170090	
hmotnost kg/ks	0,30	0,42	0,45	0,48	0,52	0,55	0,61	

